AMENDMENTS TO THE CLAIMS

1-17. (Canceled)

- 18. (Currently Amended) A display process apparatus comprising:
 - an application;
 - a device resource which is another application;
 - a display screen;
- a GUI player configured to <u>reproduce and</u> display, on said display screen, a GUI content used by said application; and

a conversion section configured to, by using a conversion rule, convert from a-screen event <u>information related to for the display of</u> the GUI content displayed on said display screen by said GUI player into a-device event <u>information that is</u> interpretable for said device resource, the conversion rule associating the screen event <u>information related</u> to the GUI content with the device event information interpretable for said device resource,

wherein the device resource reports, to said application, a result of <u>an interpretation</u> executed based on the device event <u>information</u> converted by said conversation <u>conversion</u> section, and

the application processes the screen event <u>information</u> related to said GUI player in accordance with the result of interpretation reported from said device resource, <u>and</u>

the conversion section changes the conversion rule in accordance with said GUI player used by the display process apparatus, to allow various GUI players to access said device resource.

19. (Cancelled)

20. (Currently Amended) The display process apparatus according to claim 1918, wherein the display process apparatus further obtains another GUI player and another conversion rule and another GUI player that is allowed to access said device resource by using the other conversion rule, and another conversion rule, and updates the conversion rule to said another the other conversion rule that has been obtained, and modifies said GUI player to said another the other GUI player that has been obtained, by using the other conversion rule.

- 21. (Previously Presented) The display process apparatus according to claim 20, wherein the display process apparatus obtains the other GUI player and the other conversion rule via a network.
- 22. (Currently Amended) A display process method for displaying on a display screen, the display process method comprising:

converting, by using a conversion rule, from a-screen event <u>information related to for the display of</u> a GUI content, which is used by an application and is <u>reproduced and displayed</u> on the display screen by a GUI player, into a-device event <u>information interpretable</u> for a device resource which is another application other than the application using the GUI content the conversion rule associating the screen event <u>information related</u> to the GUI content with the device event <u>information interpretable</u> for the device resource <u>and being changed in accordance</u> with the used GUI player; and

causing the application to process the screen event <u>information</u> related to the GUI content displayed on the display screen by the GUI player by <u>usingon</u> the basis of a result obtained by the device resource executing the device event <u>information</u> converted by said conversion step.

wherein said conversion step changes the conversion rule in accordance with the GUI player used by the display process method, to allow various GUI players to access the device resource.

23. (Currently Amended) A computer-readable program stored on a <u>non-transitory</u> computer-readable storage medium for causing a display process apparatus to execute a display process method which causes a display screen to be displayed, the computer-readable program causing the display process apparatus to execute:

converting, by using a conversion rule, from a-screen event <u>information</u> related to a GUI content, which is used by an application and is <u>reproduced and</u> displayed on the display screen by a GUI player, into a-device event <u>information</u> interpretable for a device resource which is another application other than the application using the GUI content, the conversion rule associating the screen event <u>information</u> related to the GUI content with the device event <u>information</u> interpretable for the device resource <u>and being changed in accordance with the used</u> GUI player; and

causing the application to process the screen event <u>information</u> related to the GUI content displayed on the display screen by the GUI player by using on the basis of a result obtained by the device resource executing the device event <u>information</u> converted by said conversion step, wherein said conversion step changes the conversion rule in accordance with the GUI player used by the display process method, to allow various GUI players to access the device resource.